

REMARKS

The current amendment ignores the previous amendments submitted with the Reply dated May 3, 2004, because those amendments were not entered.

The Advisory Action alleges that the negative limitation of the component TiO_2 is a new issue in claims 67 and 68. Applicants respectfully disagree. These claims were rewritten in independent form as they were noted allowable. These claims were dependent on claims 55 and 56, respectively. Both claims 55 and 56 contain the negative limitation on TiO_2 . Amended claims 67 and 68 use the same language that was used in the claims they depended from. Nothing new was added to these claims.


There is however an error in claims 63 to 68 made by applicants. As previously amended, they did not recite the feature that the glass "does not contain SnO_2 or ZrO_2 ," which was a feature of these claims before they were rewritten in independent form. Correction is made at this time. Previously, the tables were also incorrectly copied from the claims these claims depended from, e.g., SnO_2 and ZrO_2 were removed inadvertently from some of these tables. This is the reason for the allegation in the Office Action that it is unclear in claims 63 to 68 whether or not " SnO_2 and ZrO_2 " were intended to be included. The new tables recite both SnO_2 and ZrO_2 as they were recited in the claims these claims depended from, and the amendment clarifies that at most one of these is present in any specific glass, e.g., by stating that the glass "does not contain SnO_2 or ZrO_2 ."

Entry of these amendments and allowance of the application is respectfully requested. The amendments discussed above in effect accomplish rewriting in independent form claims that were previously noted allowable. No new matter or issue is presented.

Applicants request that if any further issues remain, that the Examiner contact counsel at the telephone number indicated below to resolve such issues.

The Commissioner is hereby authorized to charge any fees associated with this response or credit any overpayment to Deposit Account No. 13-3402.

Respectfully submitted,



Csaba Henter, Reg. No. 50,908
Anthony J. Zelano, Reg. No. 27,969
Attorneys for Applicants

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.
Arlington Courthouse Plaza I
2200 Clarendon Boulevard, Suite 1400
Arlington, Virginia 22201
Direct Dial: 703-812-5331
Facsimile: 703-243-6410

Filed: May 27, 2004

AJZ/CH/(pdr)K:\SGW\115\REPLY 2 MAY 2004.DOC